



Scan results for www.theindependencecenter.org

 **Compliant**

Great news! Based on our scan, your webpage is accessible and conforms with WCAG standards.

 **accessWidget** is detected on the website




Thank you for making your website accessible and inclusive for all users with  **accessiBe**




Congratulations!
Your website is among the **3%** of inclusive and accessible websites globally. Well done!

● Inclusive websites ● Not inclusive websites

In the report you'll find the results for dozens of tests focusing mainly on these categories:

-  **Screen-reader** adjustments (blind users)
-  **Keyboard navigation** adjustments (motor impaired)
-  **UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	28	0	100

Successful Elements

```
<button id="e-n-menu-dropdown-icon-3982" class="e-n-menu-dropdown-icon e-focus " data-tab-index="2" data-focus-index="3" data-custom-button-processed="true" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-m ...
```

```
<button id="e-n-menu-dropdown-icon-3985" class="e-n-menu-dropdown-icon e-focus " data-tab-index="5" data-focus-index="6" data-custom-button-processed="true" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-m ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-controls="swiper-wrapper-2378b51e50cecc106" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Previous slide</span><svg xmlns = ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-controls="swiper-wrapper-2378b51e50cecc106" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next slide</span><svg xmlns="htt ...
```

```
<a href="#" class="mec-load-month-link " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button"><i class="mec-sl-angle-left"></i> June</a>
```

```
<a href="#" class="mec-load-month-link " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button">August <i class="mec-sl-angle-right"></i></a>
```

```
<a href="#" class="mec-has-event-a " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button" data-acsb-textual-ops="color"><span data-="true" " data--position="before" aria-hidden="f ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-controls="swiper-wrapper-7d9e84a91941a5d5" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Previous slide</span><svg xmlns = " ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-controls="swiper-wrapper-7d9e84a91941a5d5" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next slide</span><svg xmlns="http ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="#" data-custom-button-processed="true" data-acsb-hover="true" role="button"> <span class="elementor-button-content-wrapper"> <span class="elementor-button-te...
```

2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

28

0

100

Successful Elements

```
<button id="e-n-menu-dropdown-icon-3982" class="e-n-menu-dropdown-icon e-focus " data-tab-index="2" data-focus-index="3" data-custom-button-processed="true" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-m ...
```

```
<button id="e-n-menu-dropdown-icon-3985" class="e-n-menu-dropdown-icon e-focus " data-tab-index="5" data-focus-index="6" data-custom-button-processed="true" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true"> <span class="e-n-m ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-controls="swiper-wrapper-2378b51e50cecc106" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Previous slide</span><svg xmlns = ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-controls="swiper-wrapper-2378b51e50cecc106" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next slide</span><svg xmlns="ht t ...
```

```
<a href="#" class="mec-load-month-link " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button"><i class="mec-sl-angle-left"></i> June</a>
```

```
<a href="#" class="mec-load-month-link " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button">August <i class="mec-sl-angle-right"></i></a>
```

```
<a href="#" class="mec-has-event-a " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button" data-acsb-textual-ops="color"><span data-="true" " data--position="before" aria-hidden = "f ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-controls="swiper-wrapper-7d9e84a91941a5d5" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Previous slide</span><svg xmlns = " ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-controls="swiper-wrapper-7d9e84a91941a5d5" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next slide</span><svg xmlns="http ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="#" data-a-custom-button-processed="true" data-acsb-hover="true" role="button"> <span clas s="elementor-button-content-wrapper"> <span class="elementor-button-te ...
```

3 Links should include text that is setting expectations to Yes what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

48

0

100

Successful Elements

```
<a href="https://www.theindependencecenter.org" data-acsb-force-un navigable="true" tabindex="-1" data-custom-button-processed="true">  <span class="elementor-icon-list-text " style=" ...
```

```
<a href="https://www.theindependencecenter.org/get-involved/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class="elementor-icon-list-text " style=";background-color:#ffffff!important;co ...
```

```
<a href="https://www.theindependencecenter.org/contact-us/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class="elementor-icon-list-text " style=";background-color:#ffffff!important;colo ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="https://www.theindependencecenter.org/get-involved/donate/" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;"> ...
```

```
<a class="e-n-menu-title-container e-focus e-link" href="https://www.theindependencecenter.org/healthcare-at-home/" data-focus-index="1" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ...
```

```
<a class="e-n-menu-title-container e-focus e-link" href="https://www.theindependencecenter.org/resources/" data-focus-index="4" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class="e-n-menu- ...
```

```
<a class="e-n-menu-title-container e-focus e-link" href="https://www.theindependencecenter.org/events/" data-focus-index="5" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class="e-n-menu-tit ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="https://www.theindependencecenter.org/about-us/" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;"> <span clas s ...
```

```
<a href="https://www.theindependencecenter.org/home-health/" data-custom-button-processed="true" data-acsb-scrape-url="https://theindependencecenter.org/home-health/"><picture decoding="async" class="attachment-full size-full wp-image-17786">
<sou ...
```

- 4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

8

0

100

Successful Elements

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://conta.cc/46Vm2tt" target="_blank" data-acsb-tooltip="New Window" data-custom-button-processed="true"> <span class="elementor-button-content-wrapper"> ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="https://conta.cc/46Vm2tt" target="_blank" data-acsb-tooltip="New Window" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important ...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="https://www.theindependencecenter.org/newsletter-old/" target="_blank" data-acsb-tooltip="New Window" data-custom-button-processed="true" style=";background-color:#ffffff!i ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-facebook-square elementor-animation-bob elementor-repeater-item-4240dd1 " href="https://www.facebook.com/RealEmpowermentCS" target="_blank" data-acsb-tooltip="New Window" data-cu ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elementor-animation-bob elementor-repeater-item-bfbf75a " href="https://www.linkedin.com/company/realpowerment" target="_blank" data-acsb-tooltip="New Window" data-cus ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-instagram elementor-animation-bob elementor-repeater-item-d0c3013 " href="https://www.instagram.com/realpowerment/" target="_blank" data-acsb-tooltip="New Window" data-cust ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-youtube elementor-animation-bob elementor-repeater-item-038a13f " href="https://youtube.com/c/TheIndependenceCenter" target="_blank" data-acsb-tooltip="New Window" data-cust ...
```

```
<a class="npc" href="https://neonpigcreative.com/" target="_blank" rel="nofollow" data-acsb-tooltip="New Window" data-custom-button-processed="true" data-acsb-hover="true" data-acsb-scrape-url="https://neonpigcreative.com/"> <svg v ...
```

5 An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title. No 0 0

6 HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text. Yes 11 0 100

7 Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed. Yes 7 2 78

Successful Elements

```
<span class="elementor-heading-title elementor-size-default "> The Gazette</span>
```

```
<span class="elementor-heading-title elementor-size-default ">From this month's newsletter</span>
```

```
<span class="elementor-heading-title elementor-size-large ">October 2023</span>
```

```
<span class="elementor-heading-title elementor-size-medium ">Organization</span>
```

```
<span class="elementor-heading-title elementor-size-medium ">Support the IC</span>
```

```
<span class="elementor-heading-title elementor-size-large ">Video Phone </span>
```

```
<span class="elementor-heading-title elementor-size-default ">(for Deaf & Hard of Hearing Only):</span>
```

Failed Elements

```
<div class="e-n-menu-title-container"> <span class="e-n-menu-title-text "> Community Services </span> </div>
```

```
<div class="e-n-menu-title-container"> <span class="e-n-menu-title-text "> About </span> </div>
```

8 Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles. No 0 0

9 Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0". Yes 6 0 100

Successful Elements

```
<div role="button" aria-label="Click to return to the Independence Center Home Page" class="elementor-element elementor-element-65213d7 None None default default default center-center default default none none elementor-widget elementor-widget-image" ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-controls="swiper-wrapper-2378b51e50cecc106" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Previous slide</span><svg xmlns = ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-controls="swiper-wrapper-2378b51e50cecc106" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next slide</span><svg xmlns="ht t ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-controls="swiper-wrapper-7d9e84a91941a5d5" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Previous slide</span><svg xmlns = " ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-controls="swiper-wrapper-7d9e84a91941a5d5" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next slide</span><svg xmlns="http ...
```

```
<div role="button" class="elementor-element elementor-element-c3cdb1b elementor-view-default none none elementor-widget elementor-widget-icon" data-id="c3cdb1b" data-element_type="widget" data-widget_type="icon.default" tabindex="0" > <div class ...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100
----	---	-----	------	---	-----

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0
----	--	----	---	---

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100
----	---	-----	------	---	-----

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0
----	---	----	---	---

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0
----	---	----	---	---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	4	0	100
----	--	-----	---	---	-----

Successful Elements

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" > <li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data-acsb-menu-root="true"> <a href="https://www.theindependencecenter ...
```

```
<nav class="e-n-menu" data-widget-number="398" aria-label="Menu" data-touch-mode="false" data-layout="horizontal" role="presentation"> <button class="e-n-menu-toggle" id="menu-toggle-398" aria-expanded="false" aria-label="Menu Toggle" tabindex="...
```

```
<nav class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-vertical e--pointer-none" role="navigation" aria-label="Footer Menu"> <ul id="menu-1-d99e25f" class="elementor-nav-menu sm-vertical" data-smartmenus-id= ...
```

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" > <li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data-acsb-menu-root="true" data-acsb-hover="true" > <a href="/privacy ...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0
----	--	----	---	---

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0
----	--	----	---	---

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	No	0	0
----	--	----	---	---

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0
----	---	----	---	---

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	61	3	95
----	---	-----	----	---	----

Successful Elements

```
<svg class="e-font-icon-svg e-eicon-menu-bar" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M104 333H896C929 333 958 304 958 271S929 208 896 208H104C71 208 42 237 42 271S71 333 104 333ZM104 583H896C929 583 958 554 958 521S929 4 ...
```

```
<svg class="e-font-icon-svg e-eicon-close" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M742 167L500 408 258 167C246 154 233 150 217 150 196 150 179 158 167 167 154 179 150 196 150 212 150 229 154 242 171 254L408 500 167 742C1 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-minus" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" ><path d="M416 208H32c-17.67 0-32 14.33-32 32v32c0 17.67 14.33 32 32 32h384c17.67 0 32-14.33 32-32v-32c0-17.67-14.33-32-32-32z" ></pa ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-plus" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" ><path d="M416 208H272V64c0-17.67-14.33-32-32-32h-32c-17.67 0-32 14.33-32 32v144H32c-17.67 0-32 14.33-32 32v32c0 17.67 14.33 32 32 32 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-minus" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M416 208H32c-17.67 0-32 14.33-32 32v32c0 17.67 14.33 32 32 32h384c17.67 0 32-14.33 32-32v-32 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-plus" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M416 208H272V64c0-17.67-14.33-32-32-32h-32c-17.67 0-32 14.33-32 32v144H32c-17.67 0-32 14.33-32 32v32c0 17.67 14.33 32 32 32 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-plus" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" ><path d="M416 208H272V64c0-17.67-14.33-32-32-32h-32c-17.67 0-32 14.33-32 32v144H32c-17.67 0-32 14.33-32 32v32c0 17.67 14.33 32 32 32h ...
```

```
<span class="swiper-notification" aria-atomic="true" aria-hidden="true" ></span>
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="183.083" height="31.71" viewBox="0 0 183.083 31.71" aria-hidden="true" data-acsb-hover="true" data-acsb-force-hidden="true" ><g id="Group_226" data-name="Group 226" transform="translate(0 -11.037)" ><pa ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" id="Layer_1" x="0px" y="0px" viewBox="0 0 183.1 31.7" xml:space="preserve" aria-hidden="true" data-acsb-hover="true" data-acsb-force-hidden="true" ><g id="Group_227" ...
```

Failed Elements

```
<i class="mec-sl-angle-left"></i>
```

```
<i class="mec-sl-angle-right"></i>
```

```
<span class="elementor-divider-separator"> </span>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	Yes	3	0	100
----	--	-----	---	---	-----

Successful Elements

```
<figure class="elementor-image-box-img" role="none"><a href="https://www.theindependencecenter.org/home-health/" data-custom-button-processed="true" data-acsb-scrape-url="https://theindependencecenter.org/home-health/"><picture decoding="async" class="elementor-image-box-img" data-cs="2" data-kind="parent" data-rs="2"><img alt="Home Health Services" data-bbox="124 250 957 310"/>
```

```
<figure class="elementor-image-box-img" role="none"><a href="https://www.theindependencecenter.org/veterans/" data-custom-button-processed="true" data-acsb-scrape-url="https://theindependencecenter.org/veterans/"><picture decoding="async" class="elementor-image-box-img" data-cs="2" data-kind="parent" data-rs="2"><img alt="Veterans Services" data-bbox="124 337 957 399"/>
```

```
<figure class="elementor-image-box-img" role="none"><a href="https://www.theindependencecenter.org/independent-living/skills-classes-and-workshops/" data-custom-button-processed="true"><span data-cs="2" data-kind="parent" data-rs="2" data-position="before" aria-hidden="true"><img alt="Independent Living Skills Classes and Workshops" data-bbox="124 426 957 486"/>
```

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0
----	--	----	---	---

23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0
----	---	----	---	---

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0
----	--	----	---	---

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0
----	--	----	---	---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0
----	---	----	---	---

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0
----	---	----	---	---

28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	
----	---	----	---	---	--

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	
----	---	----	---	---	--

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	
----	---	----	---	---	--

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<title>The Independence Center - The Independence Center</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<html lang="en-US" style="--acsb-keynav:3px;" id="acsb-light-contrast" class="acsb-light-contrast"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="https://gmpg.org/xfn/1 ...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100
----	---	-----	---	---	-----

Successful Elements

```
<main id="content" class="site-main post-1796 page type-page status-publish hentry progress_status-needs-content" role="main" data-acsb-main="true"> <div class="page-content"> <div data-elementor-type="wp-page" data-elementor-id="1796" class = ...
```

```
<footer class="elementor-element elementor-element-58e4ecc e-con-full e-flex default section-default-pad section-default-pad default default default e-con e-parent" data-id="58e4ecc" data-element_type="container" data-settings="{&quot;background_back ...
```

35 Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass - 100

36 Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass - 100

37 Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color. Yes 94 0 100

Successful Elements

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Careers</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Get Involved</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Contact</span>
```

```
<span class="e-n-menu-title-text " style=";background-color:#ffffff!important;color:#000000!important;"> Healthcare at Home </span>
```

```
<span class="e-n-menu-title-text "> Community Services </span>
```

```
<span class="e-n-menu-title-text " style=";background-color:#ffffff!important;color:#000000!important;"> Resources </span>
```

```
<span class="e-n-menu-title-text " style=";background-color:#ffffff!important;color:#000000!important;"> Events & Training </span>
```

```
<span class="e-n-menu-title-text "> About </span>
```

```
<h1 class="elementor-heading-title elementor-size-default " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="2">The Independence Center is the local home of civil rights for people with disabilities. </h ...
```

```
<span class="elementor-button-text " style=";background-color:#ffffff!important;color:#000000!important;">Learn more about The IC</span>
```

38 Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo". No 0 0

39 Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. Yes 4 0 100

Successful Elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-controls="swiper-wrapper-2378b51e50cecc106" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Previous slide</span><svg xmlns = ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-controls="swiper-wrapper-2378b51e50cecc106" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next slide</span><svg xmlns="htt ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-controls="swiper-wrapper-7d9e84a91941a5d5" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Previous slide</span><svg xmlns = " ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-controls="swiper-wrapper-7d9e84a91941a5d5" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next slide</span><svg xmlns="htt p ...
```

40 A common accessibility mistake is to treat carousels as No live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements. No 0 0

41 Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. No 0 0

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100

Successful Elements

```
<iframe class="elementor-video" frameborder="0" allowfullscreen="" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture; web-share" referrerpolicy="strict-origin-when-cross-origin" width="640" height="360" s ...
```